

SAFETY DATA SHEET

SECTION 1 - Identification:

PRODUCT NAME: Microspersion 510E

SDS NUMBER: MCS-510E

MANUFACTURER'S NAME: ADDRESS:	Micro Powders, Inc. 580 White Plains Road Tarrytown, NY 10591		
CHEMTREC PHONE:	800-424-9300	SDS DATE:	2/20/2025
INFORMATION PHONE:	914-793-4058	PREPARED BY:	EH&S Group

INTENDED USE: Wax additive

SECTION 2 - Hazard identification:

CLASSIFICATION:

OSHA 29CFR 1910.1200	
Serious eye damage	: Category 1
Skin sensitization	: Category 1

REGULATION (EC) No 1272/2008 Serious eye damage Skin sensitization

: Category 1 : Category 1

LABEL ELEMENTS:

Hazard pictograms:



Signal Word

Hazard Statement

Precautionary statements

: Danger

: H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

: Prevention:

P261 Avoid breathing mists or vapours. P280 Wear protective gloves/eye protection/face protection. **Response:** P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISIN CENTER/ doctor.

SECTION 3 - Composition/information on ingredients:

Alcohols, C12-15, ethoxylated CAS # 68131-39-5 (>= 5 - < 7%) 2-methyl-2H-isothiazol-3-one CAS # 2682-20-4 (>= 0.0025 - < 0.025%) 1,2-Benzisothiazol-3-one CAS # 2634-33-5 (>= 0.0025 - < 0.025%)

SECTION 4 - First-aid measures:

IF IN EYES: Immediately flush with copious amounts of water for at least 20 minutes.

IF ON SKIN: Remove contaminated clothing. Wash skin thoroughly with soap and water.

IF INGESTED: Do not induce vomiting; aspiration hazard. Dilute with 1-2 glasses of water. Get medical aid. If vomiting occurs spontaneously, keep head below hips to present aspiration of liquid into lungs.

SECTION 5 - Fire-fighting measures:

OSHA FLAMMABILITY CLASS: Non-combustible liquid.

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, dry chemical or fine water spray. Avoid water stream on molten burning material as it may scatter and spread the fire.

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing approved by NIOSH. Watch footing on floors and stairs because of possible melting and spreading of material. Use spray to keep containers cool.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

SECTION 6 - Accidental release measures:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear recommended personal protective equipment. Do not let spilled material enter waterways. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Report major leaks and spills to the appropriate local, state and federal government agencies.

SECTION 7 - Handling and storage:

SPECIAL HANDLING AND STORAGE: Always wear recommended personal protective equipment. Avoid breathing fumes from heating operations. Avoid spillage which can cause very slippery conditions on floors. Use good personal hygiene and housekeeping.

STORAGE RECOMMENDATIONS: Avoid excessive heat. Keep from freezing.

SECTION 8 - Exposure controls/personal protection:

ENGINEERING CONTROLS: Use adequate ventilation during heating processes or if dusty conditions prevail when handling powdered materials. For storage and ordinary handling, general ventilation is adequate.

RESPIRATORY PROTECTION: Use a NIOSH approved vapor respirator.

VENTILATION: Face velocity greater than 60 cfm (adequate to capture wax dust or fumes).

SKIN PROTECTION: Use impervious gloves to avoid repeated/prolonged skin contact. Use other protective garments as necessary.

EYE PROTECTION: Chemical goggles around these liquids and in dusty conditions.

OTHER PROTECTIVE EQUIPMENT OR CLOTHING: As needed to prevent repeated/prolonged contact.

WORK / HYGIENIC PRACTICES: Wash skin thoroughly with soap and warm water after handling and before smoking, eating or applying makeup. If clothes become contaminated, change to clean clothing. Do not wear contaminated clothing until properly laundered.

EXPOSURE GUIDELINES: If allowed to dry, powdered forms may generate nuisance particulates upon handling. ACGIH TLV = 10mg/m3. OSHA PEL 5mg/m3.

SECTION 9 - Physical and chemical properties:

Odor:Odor threshold:Melting point:Boiling point:Flash point:Evaporation rate:Flammability:Upper/lower flammability limits:Vapor pressure:Vapor density:Relative density:Solubility:Partition coefficient:Auto-ignition temperature:Explosive properties:Oxidizing properties:	Translucent tan liquid Amine Not applicable N/A 100 °C Not Applicable COC Similar to water Not applicable Not applicable Heavier than air 1.00 g/cc Miscible with water Unknown Unknown Unknown Not applicable Not applicable Not applicable Not applicable S%
---	---

SECTION 10 - Stability and reactivity:

STABILITY: Stable at normal conditions.

CONDITIONS TO AVOID: Freezing.

INCOMPATABILITY (AVOID CONTACT WITH): Strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Should not occur.

SECTION 11 - Toxicological information:

Acute toxicity	: No data developed.
Skin corrosion/irritation	: No data developed. None expected.
Serious eye damage/irritation	: No data developed.
Respiratory or skin sensitization	: No data developed.
Germ cell mutagenicity	: No data developed.
Carcinogenicity	: N.T.P. CARCINOGEN: No
	: I.A.R.C. CARCINOGEN: No
Reproductive toxicity	: No.
STOST-single exposure	: No data developed.
STOST-repeated exposure	: No data developed.
Aspiration hazard	: No data developed. Aspiration is possible.

MEDICAL CONDITIONS GENERALLY AGGREVATED BY EXPOSURE: May irritate people with skin problems, asthma and lung diseases. Susceptible individuals may have an allergic reaction.

SECTION 12 - Ecological information:

ECOLOGICAL PROFILE: No data have been developed on this subject. These aqueous liquids are miscible in water. Potential environmental impact in case of spill or release is considered to be minimal. Do not let product enter watercourse.

SECTION 13 - Disposal considerations:

WASTE DISPOSAL METHOD: Assume conformity with applicable disposal regulations. Preferred method of disposal is in closed containers of sufficient strength to eliminate leakage at approved incineration or chemical landfill waste disposal site in accordance with local regulations. Sewage disposal is discouraged.

RCRA: Is the unused product a RCRA hazardous waste if discarded? No.

The information offered here is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

SECTION 14 - Transport information:

UN Number UN Proper shipping name Transport hazard class Packing group IATA Environmental hazards Special precautions	 Not classified as hazardous. N/A Not classified as hazardous. N/A Not classified as hazardous Not considered marine pollutant. Not considered environmentally hazardous. Keep sealed and secure. Do not expose to heat.
DOT Classification	: Non-Hazardous.
INCO Terms	: EXW for Regulatory Purposes and Responsibilities

SECTION 15 - Regulatory information:

Please request our Regulatory Summary Sheet (RSS) for global regulatory information.

REACH: All substances registered.

Toxic Substances Control Act (TSCA): This product or its components are listed on the TSCA Inventory. This product and/or its components do not contain any chemicals subject to any rules or orders under TSCA sections 4, 5, 6, 7, or 8(d).

California Proposition 65: Not regulated.

WHMIS Classification (Canada): Not subject to WHMIS regulations.

SARA Section 311/312:

- Acute Health Hazard:	
- Chronic Health Hazard:	No
- Fire Hazard:	No
- Reactivity Hazard:	No
- Sudden Release of Pressure Hazard:	No

SARA Section 302:Contains an extremely hazardous substance: NoSARA Section 313:This product does not contain any toxic chemical listed under Sec.313 of the Emergency
Planning and Community Right-To-Know Act of 1986.

US. EPA CERCLA Hazardous Substances (40 CFR 302) - not regulated.

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5) - not regulated.

CLEAN WATER ACT - Priority Pollutants: Contains no known priority pollutants at concentrations greater than 0.1%.

SECTION 16 - Other information:

This SDS conforms to OSHA HCS/HazCom 2012 (29 CFR Parts 1910, 1915, 1926)

This SDS conforms to Regulation (EC) No. 1907/2006

Micro Powders, Inc. Quality Assurance Program certified to ISO 9001

This SDS supersedes all previously published documents dated prior to 2/20/2025.

SDS: E-H317_H318 MCS-510E: E-H317_H318

THE DATA SET FORTH IN THIS SDS ARE TYPICAL VALUES (NOT SPECIFICATIONS) BASED ON INFORMATION PROVIDED BY THE SUPPLIERS OF THE RAW MATERIALS AND CHEMICALS USED IN THE MANUFACTURE OF THE AFOREMENTIONED PRODUCT. MICRO POWDERS, INC. MAKES NO WARRANTY WITH RESPECT TO THE ACCURACY OF THE INFORMATION PROVIDED BY THEIR SUPPLIERS AND DISCLAIMS ALL LIABILITY OF RELIANCE THEREOF. MICRO POWDERS, INC. WARRANTS ONLY THAT ITS PRODUCTS CONFORM TO THEIR PUBLISHED SPECIFICATIONS AND NO OTHER EXPRESS WARRANTY IS MADE WITH REGARD THERETO. WE DO NOT GUARANTEE FAVORABLE RESULTS AND WE ASSUME NO LIABILITY IN CONNECTION WITH THE USE OF THESE PRODUCTS. THEY ARE ALL INTENDED FOR USE BY PERSONS HAVING TECHNICAL SKILL AND KNOWLEDGE, AT THEIR OWN DISCRETION AND RISK.